Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Original) A magnetic head slider comprising a magnetic head for recording/reproducing information from/into a magnetic disk and a slider on which the magnetic head is mounted, wherein said slider has a first positive pressure generating portion provided at an air-inflow side and a positive pressure generating portion surface provided at an air-outflow side, projections being provided at the air-inflow side at positions with respect to said first positive pressure generating portion on a first surface which faces the magnetic disk upon read/write operation of the magnetic head slider.
- 2. (original) A magnetic head slider according to claim 1, wherein said slider has a step surface provided at the air-inflow side with respect to said first positive pressure generating portion and having a level lower than said first positive pressure generating portion, and at least a negative pressure generation portion is provided at the air-outflow side and having a level lower than said step surface, said projections being provided on said step surface which is said first surface.
- 3. (original) A magnetic head slider according to claim 2, wherein a difference in the levels of said positive pressure generating portion surface and said step surface is less than 300 nm.

- 4. (original) A magnetic head slider according to claim 3, wherein a difference in the levels of said first positive pressure generating portion and said step surface is less than 200 nm.
- 5. (original) A magnetic head slider according to claim 2, wherein said first positive pressure generating portion and said step surface constitute a flying pad.
- 6. (original) A magnetic head slider according to claim 1, wherein said projections have a cylindrical shape and a diameter of 0.01-0.1 mm.
- 7. (original) A magnetic head slider according to claim 1, wherein said projections have a planar end surface.
- 8. (original) A magnetic head slider according to claim 1, wherein said projections have a curved end surface.
- 9. (original) A magnetic head slider according to claim 2, wherein said first surface includes a central step surface provided at a center of said first positive pressure generating portion in a widthwise direction of the slider.
- 10. (original) A magnetic head slider according to claim 9, wherein said central step surface has a level substantially the same as said step surface.

- 11. (original) A magnetic head slider according to claim 1, wherein said second positive pressure generating portion is provided at a center in a widthwise direction of the slider.
- 13_12. (currently amended) A magnetic head slider according to claim 1, wherein said projections are provided outside of said first positive pressure generating portion in a widthwise direction of the slider.
- 14_13. (currently amended) A magnetic head slider according to claim 1, wherein said first positive pressure generating portion and said second positive pressure generating portion are separated by a third negative pressure generation portion having a level which is lower than a level of said first positive pressure generating portion and said second positive pressure generating portion.
- 15_14. A magnetic disk apparatus comprising a magnetic head slider including a magnetic head for recording/reproducing information from/into a magnetic disk and a slider on which the magnetic head is mounted, wherein said slider has a first positive pressure generating portion provided at an air-inflow side and a second positive pressure generating portion provided at an air-outflow side, projections being provided at the air-inflow side at positions with respect to said first positive pressure generating portion on a first surface which faces the magnetic disk upon read/write operation of the magnetic

head slider.

1615. (currently amended) A magnetic disk apparatus according to claim 14.15, wherein said slider has a step surface provided at the air-inflow side with respect to said first positive pressure generating portion and having a level lower than said first positive pressure generating portion, and at least a negative pressure generation portion surface provided at the air-outflow side and having a level lower than said step surface, said projections being provided on said step surface which is said first surface.

17_16. (currently amended) A magnetic disk apparatus according to claim—16_15, wherein a difference in the levels of said first positive pressure generating portion and said step surface is less than 300 nm.

18_17. (currently amended) A magnetic disk apparatus according to claim-17_16, wherein a difference in the levels of said first positive pressure generating portion and said step surface is less than 200 nm.

49_18. (currently amended) A magnetic disk apparatus according to claim-16_15, wherein said first positive pressure generating portion and said step surface constitute a flying pad.

20_19. (currently amended) A magnetic disk apparatus according to claim—15_14, wherein said projections have a cylindrical shape and a

diameter of 0.01-0.1 mm.

21_20. (currently amended) A magnetic disk apparatus according to claim 15_14, wherein said projections have a planar end surface.

22_21. (currently amended) A magnetic disk apparatus according to claim 15_14, wherein said projections have a curved end surface.

23_22. (currently amended) A magnetic disk apparatus according to claim—16_15, wherein said first surface includes a central step surface provided at a center of the first positive pressure generating portion in a widthwise direction of the slider.

2423. (currently amended) A magnetic disk apparatus according to claim 23_22, wherein said central step surface has a level substantially the same as said step surface.

25_24. (currently amended) A magnetic disk apparatus according to claim—15_14, wherein said second positive pressure generating portion is provided at a center in a widthwise direction of the slider.

26_25. (currently amended) A magnetic disk apparatus according to claim—15_14, wherein said projections are provided outside of the first positive pressure generating portion in a widthwise direction of the slider.

27_26. (currently amended) A magnetic disk apparatus according to claim—15_14, wherein said first positive pressure generating portion and said second positive pressure generating portion are separated by a third negative pressure generation portion having a level which is lower than a level of said first positive pressure generating portion and said second positive pressure generating portion.